

STATEMENT OF WORK – USS NEW ORLEANS (LPD-18) – 2CM
SCAFFOLDING IN AFT AEMS MAST FOR S/F USE
38NOL17106-00-A01 (JCN: CM04-L025)

C-2 CASREP # 22066
DTG 150625ZJUN22
SRF CONT# 2RCNW209

1. SCOPE:

- 1.1 Title: Scaffolding of AFT AEMS MAST for S/F Use
- 1.2 Location of Work:
 - 1.2.1 Inside of the AFT MAST (PLATFORM 36.0m ABL through PLATFORM 47. 9m ABL Level)
- 1.3 Identification:
 - 1.3.1 Quantity (one EA), Scaffoldings inside of the AFT MAST (FR101-FR115,) located in 1.2.1, See ENCLOSURE (A) for details.
- 1.4 Period of Performance: 02JUL2022 – 12JUL2022

2 . REFERENCES :

- 2.1 422-7318992 Rev D, General Arrangement of NAV and Signal Lights and ANT LOC.

3 . REQUIREMENTS :

- 3.1 Rig and maintain the stationary scaffolding listed in 1.3.1 with safety rails around perimeter of stages and ladders security fastened to the staging access conforming to the requirements of 29 CFR 1915 Subpart E for Ship's Force use, using Reference 2.1 for guidance.
 - 3.1.1 The scaffolding level must be installed so that personnel can walk around each staging level for maintenance work conducted by ship's force.
 - 3.1.1.1 The height and details of each stage will be designated by ship's force.

(V) (G) "SAFETY"

- 3.2 Inspect each scaffolding condition to ensure safety prior to ship's force use. –S106.I
- 3.3 Remove scaffolding listed in 1.3.1 when notified by SHIPSUPT.

4. NOTES:

- 4.1 Initial Condition - Scaffolding to allow S/F to access AFT AEMS LADDER WINCH is required.



5. GOVERNMENT FURNISHED MATERIAL(GFM)

- 5.1 None.

STATEMENT OF WORK – USS NEW ORLEANS (LPD-18) – 2CM
SCAFFOLDING IN AFT AEMS MAST FOR S/F USE
38NOL17106-00-A01 (JCN: CM04-L025)

6. GOVERNMENT POINTS OF CONTACT (POC)

6.1 The Government POC:


Technical POCs	Contracting POC
	Name: Juyi (Jerry) Li-Waidelich Title: Contract Specialist Tel: 0956-50-2817 Email: Juyi.Li-Waidelich@fe.navy.mil
	

- 6.1.1. Only the Government Technical POC has authority to coordinate schedule with the contractor within terms and conditions of this contract. The Government Technical POC will coordinate base access and provide escorts for the contractor if escorts are required for personnel entering, departing, and working in required areas.
- 6.1.2. Only the Contracting Officer and/or designated Contracting POC have authority to change any terms and conditions of this contract. Report any conditions, discrepancies, and/or finding to the Contracting POC via the Government Technical POC

(END OF STATEMENT OF WORK)

ENCLOSURE (A)

REF DWG: 422-7318992
Rev D



Required areas of the Scaffolding to access each antenna inside AFT MAST for maintenance.

Identified antennas are as follows:

- | | |
|-----------------------------|------------------------------|
| 3-3 : AS-3226A/URC | 3-22B: AS-4501/SRC |
| 3-6 : AS-2809/SRC | 3-23A: AS 4501/SRC |
| 3-14 : AS-1735/SRC | 3-23B: AS-4501/SRC |
| 3-15 : AS-1735/SRC | 3-28 : AS-4454/KSQ-1 (EPLRS) |
| 3-18B: AN-SRC-55 | 5-2 : AS-177B/UPX |
| 3-21 : AS-4454/KSQ-1 (PLRS) | 5-3 : AS-177B/UPX |
| 3-22A: AS-4501/SRC | |

* 5-5 OE-373A/SPS-48E will be installed the protective cover by Ship's Force prior to installation of the scaffolding.

ENCLOSURE (A) 1/1