

AMENDMENT OF SOLICITATION/MODIFICATION OF CONTRACT				1. CONTRACT ID CODE J	PAGE OF PAGES 1 5
2. AMENDMENT/MODIFICATION NO. 0001		3. EFFECTIVE DATE 17-Aug-2023	4. REQUISITION/PURCHASE REQ. NO. N6275823RCFS020		5. PROJECT NO.(If applicable)
6. ISSUED BY CODE NAVSUP FLC YOKOSUKA SASEBO OFFICE PSC 476 BOX 6 FPO AP 96322-0001		CODE N68246	7. ADMINISTERED BY (If other than item 6) CODE See Item 6		
8. NAME AND ADDRESS OF CONTRACTOR (No., Street, County, State and Zip Code)				X	9A. AMENDMENT OF SOLICITATION NO. N6824623Q0106
				X	9B. DATED (SEE ITEM 11) 07-Aug-2023
					10A. MOD. OF CONTRACT/ORDER NO.
					10B. DATED (SEE ITEM 13)
CODE		FACILITY CODE			
11. THIS ITEM ONLY APPLIES TO AMENDMENTS OF SOLICITATIONS					
<input checked="" type="checkbox"/> The above numbered solicitation is amended as set forth in Item 14. The hour and date specified for receipt of offer <input type="checkbox"/> is extended, <input checked="" type="checkbox"/> is not extended. Offer must acknowledge receipt of this amendment prior to the hour and date specified in the solicitation or as amended by one of the following methods: (a) By completing Items 8 and 15, and returning <u>1</u> copies of the amendment; (b) By acknowledging receipt of this amendment on each copy of the offer submitted; or (c) By separate letter or telegram which includes a reference to the solicitation and amendment numbers. FAILURE OF YOUR ACKNOWLEDGMENT TO BE RECEIVED AT THE PLACE DESIGNATED FOR THE RECEIPT OF OFFERS PRIOR TO THE HOUR AND DATE SPECIFIED MAY RESULT IN REJECTION OF YOUR OFFER. If by virtue of this amendment you desire to change an offer already submitted, such change may be made by telegram or letter, provided each telegram or letter makes reference to the solicitation and this amendment, and is received prior to the opening hour and date specified.					
12. ACCOUNTING AND APPROPRIATION DATA (If required)					
13. THIS ITEM APPLIES ONLY TO MODIFICATIONS OF CONTRACTS/ORDERS. IT MODIFIES THE CONTRACT/ORDER NO. AS DESCRIBED IN ITEM 14.					
A. THIS CHANGE ORDER IS ISSUED PURSUANT TO: (Specify authority) THE CHANGES SET FORTH IN ITEM 14 ARE MADE IN THE CONTRACT ORDER NO. IN ITEM 10A.					
B. THE ABOVE NUMBERED CONTRACT/ORDER IS MODIFIED TO REFLECT THE ADMINISTRATIVE CHANGES (such as changes in paying office, appropriation date, etc.) SET FORTH IN ITEM 14, PURSUANT TO THE AUTHORITY OF FAR 43.103(B).					
C. THIS SUPPLEMENTAL AGREEMENT IS ENTERED INTO PURSUANT TO AUTHORITY OF:					
D. OTHER (Specify type of modification and authority)					
E. IMPORTANT: Contractor <input type="checkbox"/> is not, <input type="checkbox"/> is required to sign this document and return _____ copies to the issuing office.					
14. DESCRIPTION OF AMENDMENT/MODIFICATION (Organized by UCF section headings, including solicitation/contract subject matter where feasible.) See continuation sheet.					
Except as provided herein, all terms and conditions of the document referenced in Item 9A or 10A, as heretofore changed, remains unchanged and in full force and effect.					
15A. NAME AND TITLE OF SIGNER (Type or print)			16A. NAME AND TITLE OF CONTRACTING OFFICER (Type or print)		
			TEL:	EMAIL:	
15B. CONTRACTOR/OFFEROR		15C. DATE SIGNED	16B. UNITED STATES OF AMERICA		16C. DATE SIGNED
_____ (Signature of person authorized to sign)			BY _____ (Signature of Contracting Officer)		17-Aug-2023

SECTION SF 30 BLOCK 14 CONTINUATION PAGE

SUMMARY OF CHANGES

SECTION SF 30 - BLOCK 14 CONTINUATION PAGE

The following have been added by full text:

AMENDMENT 0001

The purpose of this amendment is to;

1. Respond to the vendor's pre-quotation question, and
2. Change Delivery Date.

1. Respond to the vendor's pre-quotation question:

#	Question	Answer
01	Item description of Para. 2. Description. Is the non-PCB certificate to be submitted in Japanese and English?	A Japanese only non-PCB certificate is acceptable.
02	Item Description of Para. 4.4 Labels and signs. Is there a template for specifying labels, stickers or plates for lube type, interval and amount?	There is no template. As long as Labels and signs are legible and easy to view for operators and inspectors, it is acceptable.
03	Item Description of Para. 6. Delivery Date. -Delivery date will be over 120 days, but is this acceptable? -Is delivery of 19 months acceptable?	Delivery of 19 months after receipt order is acceptable.

2. Delivery date is changed from 120 days After Date of Contract (ADC) to 19 months ADC.

SECTION SF 1449 - CONTINUATION SHEET

DELIVERIES AND PERFORMANCE

The following Delivery Schedule item for CLIN 0001 has been changed from:

DELIVERY DATE	QUANTITY	SHIP TO ADDRESS	DODAAC / CAGE
120 dys. ADC	1	U S SRF AND JRMC DET SASEBO SUPPLY OFFICER PSC 476 BOX 16 FPO AP 96322-0001 252-2845 FOB: Destination	N62758

To:

DELIVERY DATE	QUANTITY	SHIP TO ADDRESS	DODAAC / CAGE
19 mths. ADC	1	U S SRF AND JRMC DET SASEBO SUPPLY OFFICER PSC 476 BOX 16 FPO AP 96322-0001 252-2845 FOB: Destination	N62758

The following have been modified:

ITEM DESCRIPTION

1. The purpose of this order is to Purchase New Shearing Machine.

2. Description:

Item Number (#):	0001	
Item Name:	Shearing Machine	
Item Manufacturer Name:	AMADA	
Item Production/Model #:	ESH-3013	
Specification / Required Capacity:	<ul style="list-style-type: none"> - Operation Display: Japanese - Cuttable (SS400): Thickness 0.8 -13mm, Width 3,100mm - Machine Dimensions: L 3,835mm, W 2,614mm, H 2,205mm 	
Other Information:	N/A	
End Item information (If this item is a component of an End Item):	End Item Manufacture: N/A End Item Production/Model #: N/A	
Acceptable as equal product with following salient physical, functional and other characteristics, if any.	<ul style="list-style-type: none"> - Operation Display: Japanese - Traction Motor Power: 3Phase 440V 75A - Cuttable (SS400): Thickness 13mm or less, Width 3,050mm or more - Installation Foundation Dimensions: L 4,070mm, W 1,800mm, Concrete Thickness: T 450mm - Machine Dimensions: L 3,867mm or less, W 2,735mm or less, H 2,205mm or less. - Emergency Stop (immediately remove all hazardous energy in the event of an emergency. Mushroom shape in red color is preferable. The emergency pushbutton shall be readily accessible to the operator and is manually resettable when all hazard were cleared. The pushbuttons shall be located in accessible area facing the operator.) - Paint: Lead shall not be contained in the paint. - Polychlorinated biphenyl (PCB): PCB shall not be contained in the machine. Non PCB certificate shall be submitted. A Japanese only non-PCB certificate is acceptable. 	
Acceptable equal product, if any	Manufacturer	Production/Model #
	-	-
Quantity:	One (1) each	
Accessories (Product with equivalent functionality to these are acceptable) :	<ul style="list-style-type: none"> - 1m side gauge, 2 front supports 1m, 3 front stoppers - 1 set of shooters, 2 instruction manuals, warranty, tools, grease gun - Transformer (220v 3phase 60Hz) 	

	- Base plate (stud bolt type base plate, 4 pieces (with all anchors))
--	---

3. Reference / Enclosures:
 - a. Occupational Safety and Health Administration (OSHA) 29 CFR 1910.15 Shipyard employment
 - b. Occupational Safety and Health Administration (OSHA) 29 CFR 1917-151 Machine guarding
 - c. Japan Industrial Safety and Health Act
 - d. NFPA 70 National Electrical Code

4. Ancillary Works and/or Other Requirements:
 - 4.1 Transportation, installation (installation in the factory, power supply construction), witnessing of trial operation, operator training, maintenance and inspection training.
 - 4.2 Machine noise: Prior to shipping the machine to destination, conduct noise level check with the machine in operation whether the noise is greater than 85 decibels or not. Submit a report on the results of the noise check.
 - 4.3 Work light: Work light beam 50w x 3 (halogen lamp)
 - 4.4 Labels and signs
 - a. Safety warning labels shall be applied on the machine where potential hazard exist e.g. noise, cutting blade, electrical shock and etc.
 - b. All lubrication point shall be indicated with label showing lube type, interval, and amount. This requirement does not apply to an oil free machine.
 - c. Machine identification plate shall be installed on the machine. Following information shall be included.
 - Manufacturer's Name
 - Manufacturer's Model Designation
 - Manufacturer's Serial Number
 - 4.5 Meeting: Post-award meeting shall be conducted within 30 calendar days from award. The contractor shall provide proposed date and time of meeting within 14 calendar days from award.
 - 4.6 Submittal: Following document shall be submitted to the technical point of contact.
 - a. Tentative work schedule at the post award meeting
 - b. Bilingual user manual/Maintenance manual (Japanese/English) 2 each at delivery
 - c. Warranty card 1 each at delivery
 - 4.7 After-sales service: A trouble shooting, repair, and repair parts procurement shall be available directly from manufacturer or through distributor/agency exist in Japan.
 - 4.8 Warranty: The contractor is responsible for making appropriate corrective action if failure occurred in relation to this work within 365 days from award under normal condition of use. A warranty card shall be provided.
 - 4.9 Government Provided Service
 - a. Foundation and primary power supply construction.

5. Delivery Location:

N45598, SRF AND JRMC DET SASEBO
 U. S. NAVAL BASE SASEBO, Bldg#480, Shop S11
 Tategami-Cho, Mu Banchi, Sasebo City, 857-0056
 POC: MARK DOINOFF
 Command/Ship: SRF JRMC DET Sasebo

6. Deliver Date:

See DELIVERY INFORMATION on SF 1449.
 (The Government request delivery date (RDD) is 19 months after receipt order (ARO). Actual delivery date will be specified upon award.)

The effective period of this order is stated at DELIVERY INFORMATION on SF 1449. Coordinate delivery schedule with the Government Technical Point of Contact (POC). Other related works shall be completed by the expiring date of this order.

Working days and hours

- Regular working days: Monday - Friday
- Regular work hours: 0800 - 1645
- U.S. Federal holidays and designated military holidays are non-working days and Japanese national holidays are working days under this contract.

If the contractor realizes any potential or actual delay in delivery, report to the Government Contracting POC via the Government Technical POC.

7. Note:

7.1 Government POC: *will be provided upon award.*

Technical POC	Contracting POC
Name:	Name: Akemi Matsuda
Title:	Title: Purchasing and Contract Specialist
Command:	Command: NAVSUP FLCY Sasebo Contracts Division
TEL:	TEL: 0956-50-2860
E-Mail:	E-Mail: akemi.matsuda2.ln@us.navy.mil
Name:	
Title:	
Command:	
TE:	
Email:	

- 7.1.1 Only the Government Technical POC has authority to coordinate schedule with the contractor within terms and conditions of this contract. The Government Technical POC will coordinate base access and provide escorts for the contractor if escorts are required for personnel entering, departing, and working in required areas. Ask any payment issue.
- 7.1.2 Only the Contracting Officer and/or designated Contracting POC have authority to change any terms and conditions of this contract. Report any conditions, discrepancies, and/or finding to the Contracting POC via the Government Technical POC. In the event the Contractor effects any change at the direction of any person other than the Contracting Officer, the change will be considered to have been made without authority and no adjustment will be made in the contract price to cover any increase in charges incurred as a result thereof. See NAVSUP Local Text titled "Authorized Changes Only by the Contracting Officer."

(End of Item Description)

(End of Summary of Changes)