

Ship/HULL NO.	Ship/HULL NAME	JON:	ICN:	Rev:	Key Op:
LPD-18	USS NEW ORLEANS		38KF386303		A01

TITLE:

Temporary Head; provide

JOB SPECIFICATION

Anticipated Award Date: 09/13/2026	Production Completion Date: 12/30/2026	PREPARING ACTIVITY:	
POP Start Date: 10/22/2026	POP End Date: 01/30/2027	SASEBO	
PREPARED BY: N. NAGATO	CODE H NA	DATE 7/14/2026	
APPROVED BY: S. MURAKAMI	CODE S225		
CONCURRED BY: S. MOROOKA	CODE S231		
ASSIST PLANNER'S NAME:	CODE		
ASSIST PLANNER'S NAME:	CODE		
ASSIST PLANNER'S NAME:	CODE		
DESCRIPTION:			
JSN(S): SERV-L291		CASREP #	
S/F CONTACT: P/E		CWP #	CCNS #
Approved by S300/S900 <u>LT. M. MOLINA</u>		Date: 21 JUL 2026	Avl: 7J1
LT. M. MOLINA / Project Officer		LWC:	
Work Completed			
S/Force: _____ Rate: _____ Date: _____			
Ship Supt: _____ Date: _____ SRF CONTROL NO.: _____			
WORK CERTIFICATION SIGNATURES			
COMPLETION OF WORK REVIEW:	BADGE NO.:	SHOP/CODE:	PHONE: DATE:

Ship/HULL NO.	Ship/HULL NAME	JON:	ICN:	Rev:	Key Op:
LPD-18	USS NEW ORLEANS		38KF386303		A01

TITLE:

Temporary Head; provide

1. SCOPE:

1.1 Title: Temporary Head; provide

1.2 Location of Work:

1.2.1 Alongside of the Ship

1.3 Identification:

1.3.1 Quantity (5 EA), Temporary Portable Head for Mail Use, Each Consists of One Water Closet (Western Type), Sewage Accumulating Tank and Door with Locking Device Located in 1.2.1

1.3.2 Quantity (3 EA), Temporary Portable Heads for Female Use, Each Consists of One Water Closet (Western Type), Sewage Accumulating Tank and Door with Locking Device Located in 1.2.1

1.3.3 Quantity (One EA), Portable Washbasin with Mirror and Foundation (Approximately Foundation Height: 300 Millimeter) Located in 1.2.1

1.3.4

2. REFERENCES:

2.1 None.

3. REQUIREMENTS:

3.1 Provide and maintain each temporary portable head and washbasin listed in 1.3.1 through 1.3.3 at each location designated by SHIPSUPT during the availability.

3.1.1 Each door must have locking device that can be operated from inside.

3.1.1.1 Install each label plate indicated in both ENGLISH and JAPANESE letters as FOR MALE USE on each door of head listed in 1.3.1.

3.1.1.2 Install each label plate indicated in both ENGLISH and JAPANESE letters as FOR FEMALE USE on each door of head listed in 1.3.2.

3.1.2 Provide each hose for the heads and washbasin.

3.1.3 Provide each toilet paper and soap during period for the temporary portable heads and washbasin.

3.1.4 Clean each temporary head and washbasin two times a day.

Ship/HULL NO.	Ship/HULL NAME	JON:	ICN: 38KF386303	Rev:	Key Op: A01
LPD-18	USS NEW ORLEANS				

TITLE:

Temporary Head; provide

3.1.5 Apply Approximately 200 cubic centimeters (CC) of disinfectant (deodorizer) to each head (urinals and toilet bowls) to keep clean sanitary condition.

3.1.6 Application of the disinfectant (deodorizer) must be made using materials such as creosote two times a day after clean up.

3.1.7 Each temporary head and washbasin must be secured to prevent from damage against bad weather and set up properly (flat level and height).

3.2 Collect, transport and dispose of the sewage (estimated 3,380 gallons) accumulated in each temporary head and drain water from washbasins listed in 1.3.1 through 1.3.3 in accordance with Japan Environmental Governing Standards (JEGS).

(V) "REPORT"

3.2.1 Submit one legible copy of a report listing the amount of sewage discharged actually to SUPERVISOR after disposal of the sewage.

3.2.1.1 The report must be written in English and unit for the amount of the sewage must be in Gallon.

3.3 Remove each portable head and washbasin listed in 1.3.1 through 1.3.3 when notified by SHIPSUPT.

4. NOTES:

4.1 Initial Condition - Temporary heads are required for a period of 7J1 availability.

5. GOVERNMENT FURNISHED MATERIAL (GFM) :

5.1 None.